





ARTICOLO 3441 - 3442 - 3443 - 3444 - 3445 - 3446 dx + 3491 - 3492 - 3493 - 3494 - 3495 sx
 ARTICOLO 3451 - 3452 - 3453 - 3454 - 3455 - 3456 sx + 3481 - 3482 - 3483 - 3484 - 3485 dx

3440+3490







3450+3480
















Istruzioni di montaggio
 Notices de pose
 Assembling instructions
 Montageanleitungen
 Montage voorschrift
 Instrucciones de montaje







cesana 



art. porta scor. sx / dx	estensibilità mm	art. lato fisso sx / dx	estensibilità mm
3451 / 3441	1180 ÷ 1205	3491 / 3481	730 ÷ 755
3452 / 3442	1380 ÷ 1405	3492 / 3482	780 ÷ 805
3453 / 3443	1480 ÷ 1505	3493 / 3483	830 ÷ 855
3454 / 3444	1580 ÷ 1605	3494 / 3484	880 ÷ 905
3455 / 3445	1680 ÷ 1705	3495 / 3485	980 ÷ 1005
3456 / 3446	1780 ÷ 1805	—	—







Attenzione
Siliconare solo all'esterno

Attention
Siliconer seulement a l'exterieur

Attention
Seal only outside

Attentie
Alleen aan buitenzijde afkitten

Achtung
Silikon nur auf der aussenseite

Atención
Siliconar solo por el exterior

